

## MATERIAL SAFETY DATA SHEET

## 17 HIGH GEAR Multi-Purpose Degreaser

Date Prepared: 10/30/2000 Date Revised: 10/30/2000 Concentrate

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: 17 HIGH GEAR Multi-Purpose Degreaser Concentrate Product Synonyms: Command Center 17 HIGH GEAR Multi-Purpose Degreaser Concentrate; Command Center MULTI-PURPOSE Degreaser Concentrate 17

## **MANUFACTURER**

Butcher Telephone Number: 800-225-9475 The Butcher Company Emergency Telephone (24 hours): 800-228-5635 67 Forest Street CHEMTREC (U.S./Can.): 800-424-9300 Marlborough, MA 01752-3012 CHEMTREC (Int'I): +1 703-527-3887

#### 2. **COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENT(S)	CAS NO.	% BY WEIGHT	
Dipropylene glycol monomethyl ether	34590-94-8	3 - 5	
Propylene glycol monobutyl ether	5131-66-8	3 - 5	
Tetrasodium ethylenediamine tetraacetate	64-02-8	1 – 3	
n-Nonanoic acid	112-05-0	1 – 3	
Linear alcohol alkoxylate	52232-09-4	1 – 1.5	
Monoisopropanolamine	78-96-6	1 – 1.5	

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

#### 3. HAZARDS IDENTIFICATION

## **EMERGENCY OVERVIEW**

Clear, Red Liquid. Mild, Solvent Odor. Causes Eye Irritation. May Cause Skin Irritation.

**POTENTIAL HEALTH EFFECTS** (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inhalation X Ingestion

## **EFFECTS OF ACUTE EXPOSURE**

EYES:

Causes eye irritation. Symptoms may include redness and pain.

SKIN:

May cause skin irritation. Symptoms may include redness, rash and mild swelling.

MSDS No: 4042 Page: 1 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

### INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing.

## INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

## **EFFECTS OF CHRONIC EXPOSURE:**

Prolonged or repeated contact may cause skin irritation.

## **MEDICAL CONDITIONS AGGRAVATED:**

May aggravate pre-existing eye, skin and respiratory conditions.

## 4. FIRST AID MEASURES

## EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

## SKIN:

Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

## INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

## INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

## 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

## FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

## **EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for surrounding fire.

### HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide) and nitrogen oxides.

MSDS No: 4042 Page: 2 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

#### FIRE AND EXPLOSION HAZARDS:

None known.

## FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

## 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

## 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes and skin. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

#### STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### FYF

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

## SKIN:

Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

## RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

## **ENGINEERING CONTROLS:**

Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

MSDS No: 4042 Page: 3 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

<b>EXPOSU</b>	IRE L	.IMITS:
---------------	-------	---------

INGREDIENT(S)	OSHA PEL/STEL	ACGIH TLV/STEL
Dipropylene glycol monomethyl ether	100 ppm (600 mg/m3)/ 150 ppm (Skin)	100 ppm (606 mg/m3)/ 150 ppm (Skin)
Propylene glycol monobutyl ether	NA	NA
Tetrasodium ethylenediamine tetraacetate	NA	NA
n-Nonanoic acid	NA	NA
Linear alcohol alkoxylate	NA	NA
Monoisopropanolamine	NA	NA

NA - Not Available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Mild, Solvent APPEARANCE: Clear, Red

pH: 11.0 to 12.0

PERCENT VOLATILE BY WEIGHT: 94 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.01 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

## 10. STABILITY AND REACTIVITY

## STABILITY (CONDITIONS TO AVOID):

Stable.

## POLYMERIZATION:

Will not occur.

## HAZARDOUS DECOMPOSITION:

None known.

## INCOMPATIBLE MATERIALS:

Oxidizers (e.g., bleach) and strong acids (e.g., hydrochloric acid).

## 11. TOXICOLOGICAL INFORMATION

## ACUTE DATA:

This product causes mild to moderate eye irritation. The following data are available for product ingredients:

MSDS No: 4042 Page: 4 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Dipropylene glycol monomethyl ether	5135 mg/kg	9500 mg/kg	Not Available
Propylene glycol monobutyl ether	1900-3300 mg/kg	1400 mg/kg	Not Available
Tetrasodium ethylenediamine tetraacetate	3030 mg/kg	>5000 mg/kg	Not Available
n-Nonanoic acid	>9000 mg/kg	4000 mg/kg	>0.46-3.8 mg/L (4-hr)
Linear alcohol alkoxylate	2700 mg/kg	>2000 mg/kg	200 mg/L (1-hr)
Monoisopropanolamine	2098 mg/kg	1851 mg/kg	Not Available

## SENSITIZATION DATA:

No data available.

## CHRONIC DATA:

Prolonged overexposure to dipropylene glycol monomethyl ether by inhalation has caused minor liver effects in laboratory animals; overexposure by dermal absorption has also caused minor kidney effects in laboratory animals. Prolonged overexposure to high concentrations of monoisopropanolamine by ingestion has caused liver and kidney effects in laboratory animals.

## REPRODUCTIVE/TERATOGENIC DATA:

No data available.

## CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

### SYNERGISTIC MATERIALS:

No data available.

## 12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

## 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

## 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

## 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

MSDS No: 4042 Page: 5 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

#### **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

## CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

## TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

## USDA (U.S. DEPARTMENT OF AGRICULTURE):

This product is authorized for use in federally inspected meat and poultry plants.

## MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Dipropylene glycol monomethyl ether	34590-94-8	Ma, NJ, Pa
Propylene glycol monobutyl ether	5131-66-8	Not Listed
Tetrasodium ethylenediamine tetraacetate	64-02-8	Not Listed
n-Nonanoic acid	112-05-0	Not Listed
Monoisopropanolamine	78-96-6	MA, PA

NA - Not Applicable

## **CANADA**

## WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye and skin irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## 16. OTHER INFORMATION

## **HMIS RATING**

HEALTH	-	2
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION	1	-

## NFPA RATING



MSDS No: 4042 Page: 6 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

## MSDS STATUS

Revision #: 2

This MSDS replaces the January 19, 2000 MSDS. Any changes in information are as follows:

In Section 1

Prepared By Date Prepared [] Print CHEMTREC Phone Number

In Section 9

(Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (Group Field) for Boiling Point (Group Field) for Evaporation Rate Coeff Oil/Water

In Section 10 Hazardous Decomposition Products

In Section 15
OSHA Hazard Comm. Rule WHMIS Class

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 10/30/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4042 Page: 7 of 7