

MATERIAL SAFETY DATA SHEET

DIMENSION 256 Disinfectant Non-Alkaline

Date Prepared: 08/10/2000 Date Revised: 10/23/2000 Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: DIMENSION 256 Disinfectant Non-Alkaline Cleaner

Product Synonyms: Command Center 11 DIMENSION 256 Disinfectant Non-Alkaline Cleaner;

Command Center Concentrate 11:

Pipeline 11 DIMENSION 256 Disinfectant Non-Alkaline Cleaner

MANUFACTURER

Butcher Telephone Number: 800-225-9475 The Butcher Company Emergency Telephone (24 hours): 800-228-5635 67 Forest Street CHEMTREC (U.S./Can.): 800-424-9300 Marlborough, MA 01752-3012 CHEMTREC (Int'l): +1 703-527-3887

COMPOSITION / INFORMATION ON INGREDIENTS 2.

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Tetrasodium ethylenediamine tetraacetate	64-02-8	10 - 25
n-Alkyl dimethylbenzyl ammonium chloride	68391-01-5	5 - 7
n-Alkyl dimethyl ethyl benzyl ammonium chloride	68956-79-6	5 - 7
Secondary alcohol ethoxylate	68131-40-8	3 - 5

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class E

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Blue-Green Liquid. Mild Odor. May Cause Eye and Skin Burns. Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information) PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inhalation X Ingestion

EFFECTS OF ACUTE EXPOSURE

EYES:

May cause eye burns. Symptoms may include pain, tearing, redness, swelling, and eye injury.

SKIN:

May cause skin burns. Symptoms may include pain, redness, swelling, scarring, and skin damage.

MSDS No: 4086 Page: 1 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat.

INGESTION:

Harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain.

EFFECTS OF CHRONIC EXPOSURE:

Prolonged contact may cause skin burns. Symptoms may include pain, redness, swelling, scarring, and skin damage.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

SKIN:

Immediately flush with plenty of water for at least 15 minutes, then wash with soap and water. Immediately remove contaminated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing before reuse. Destroy contaminated shoes.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

NOTES TO PHYSICIAN:

Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

MSDS No: 4086 Page: 2 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide) and nitrogen oxides.

FIRE AND EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop and absorbent to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

SKIN:

Where skin contact is possible, chemical-resistant gloves should be worn. When additional skin contact is possible, other protective equipment and clothing (e.g., footwear) may be needed. All contaminated clothing should be removed immediately and cleaned (or discarded) before reuse.

RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

ENGINEERING CONTROLS:

Good general room ventilation is expected to be adequate.

MSDS No: 4086 Page: 3 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

EXPOSURE LIMITS:

INGREDIENT(S) OSHA PEL/STEL ACGIH TLV/STEL

Tetrasodium ethylenediamine tetraacetate NA NA n-Alkyl dimethylbenzyl ammonium NA NA NA

chloride

n-Alkyl dimethyl ethyl benzyl ammonium NA NA

chloride

Secondary alcohol ethoxylate NA NA

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild

APPEARANCE: Clear, Blue-Green

pH: 7.4 to 8.4

PERCENT VOLATILE BY WEIGHT: 76
VAPOR PRESSURE: Not Available
VAPOR DENSITY: Not Available
BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.02 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None known.

INCOMPATIBLE MATERIALS:

Oxidizers (e.g., bleach).

MSDS No: 4086 Page: 4 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

Based on testing of a similar product, this product may cause eye and skin burns. It is harmful if swallowed. It is not considered to be toxic by skin absorption. Acute dermal overexposure to the secondary alcohol ethoxylate has caused inflammatory changes of the lung in laboratory animals. The following data are available for this product and its ingredients:

PRODUCT/INGREDIENT	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
DIMENSION 256 Disinfectant Non-Alkaline Cleaner	>2600 mg/kg	>2000 mg/kg	Not Available
Tetrasodium ethylenediamine tetraacetate n-Alkyl dimethylbenzyl ammonium chloride	3030 mg/kg 500 mg/kg	>5000 mg/kg >2000 mg/kg	Not Available Not Available
n-Alkyl dimethyl ethyl benzyl ammonium chloride	500 mg/kg	>2000 mg/kg	Not Available
Secondary alcohol ethoxylate	2380-2856 mg/kg	2000 mg/kg	Not Available

SENSITIZATION DATA:

No data available.

CHRONIC DATA:

No data available.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

MSDS No: 4086 Page: 5 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Tetrasodium ethylenediamine tetraacetate	64-02-8	Not Listed
n-Alkyl dimethylbenzyl ammonium chloride	68391-01-5	Not Listed
n-Alkyl dimethyl ethyl benzyl ammonium chloride	68956-79-6	Not Listed
Secondary alcohol ethoxylate	68131-40-8	Not Listed

NA - Not Applicable

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

Class E- Corrosive material. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

PCP REG. NO.:

23992

DIN REG. NO.:

00871605

MSDS No: 4086 Page: 6 of 7

Date Prepared: 08/10/2000 Date Revised: 10/23/2000

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	3
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

FIRE 0 0 REACTIVITY SPECIAL

NFPA RATING

MSDS STATUS

Revision #: 3

This MSDS replaces the January 19, 2000 MSDS. Any changes in information are as follows: In Section 1

Prepared By Date Prepared [] Print CHEMTREC Phone Number

In Section 9

Odor (text) (Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (text) (Group Field) for Boiling Point (Group Field) for Freezing Point (Group Field) for Evaporation Rate Coeff Oil/Water (text)

In Section 10

Hazardous Decomposition Products (text)

In Section 11
Toxicological (text)

In Section 15

OSHA Hazard Comm. Rule (text) WHMIS Class

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 10/23/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4086 Page: 7 of 7