



MATERIAL SAFETY DATA SHEET

CHARGE Bowl Cleaner

Date Prepared: 11/20/2000
Date Revised: 11/20/2000

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: CHARGE Bowl Cleaner

MANUFACTURER

The Butcher Company
67 Forest Street
Marlborough, MA 01752-3012

Butcher Telephone Number: 800-225-9475
Emergency Telephone (24 hours): 800-228-5635
CHEMTREC (U.S./Can.): 800-424-9300
CHEMTREC (Int'l): +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Hydrochloric acid	7647-01-0	7 - 10
n-Alkyl dimethylbenzyl ammonium chloride	68391-01-5	<0.1
n-Alkyl dimethylethylbenzyl ammonium chloride	27479-28-3	<0.1

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
Opaque, Green Liquid. Mint Odor. May Cause Eye and Skin Burns. May Be Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(S) OF EXPOSURE: Eye Skin Contact Skin Absorption
 Inhalation Ingestion

EFFECTS OF ACUTE EXPOSURE

EYES:

May cause eye burns. Symptoms may include pain, tearing, redness, swelling, and eye injury.

SKIN:

May cause skin burns. Symptoms may include pain, redness, swelling, scarring, and skin damage.

INHALATION:

High concentrations of vapor or mist may cause nose, throat, and respiratory tract irritation. Symptoms may include a burning sensation in the nose and throat, coughing, wheezing, and shortness of breath.

INGESTION:

May be harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain.

EFFECTS OF CHRONIC EXPOSURE:

Repeated exposure to low concentrations of acid solutions can cause skin redness, swelling and pain.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

SKIN:

Immediately flush with plenty of water for at least 15 minutes, then wash with soap and water. Immediately remove contaminated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing before reuse. Destroy contaminated shoes.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get immediate medical attention.

INGESTION:

Do not induce vomiting. Rinse mouth out with water. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: Not applicable.

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Hydrogen and chlorine.

FIRE AND EXPLOSION HAZARDS:

Hydrochloric acid can react with common metals to form potentially explosive hydrogen gas.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Ventilate spill area. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with skin, eyes and clothing. Use with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling. Immediately remove contaminated clothing. Wash clothing and equipment before reuse. Destroy contaminated shoes.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

SKIN:

Where skin contact is possible, chemical-resistant gloves should be worn. When additional skin contact is possible, other protective equipment and clothing (e.g., footwear) may be needed. All contaminated clothing should be removed immediately and cleaned (or discarded) before reuse.

RESPIRATORY:

No respiratory protection is required if general room ventilation is adequate and airborne concentrations are kept below exposure limits. When exposure limits are exceeded, use appropriate respiratory protection (NIOSH/MSHA) to prevent overexposure. For hydrochloric acid, use an approved respirator equipped with an acid gas cartridge.

ENGINEERING CONTROLS:

Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

CHARGE Bowl CleanerDate Prepared: 11/20/2000
Date Revised: 11/20/2000**EXPOSURE LIMITS:**

<u>INGREDIENT(S)</u>	<u>OSHA PEL/STEL</u>	<u>ACGIH TLV/STEL</u>
Hydrochloric acid	5 ppm (Ceiling)	5 ppm (Ceiling)
n-Alkyl dimethylbenzyl ammonium chloride	NA	NA
n-Alkyl dimethylethylbenzyl ammonium chloride	NA	NA

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid
ODOR: Mint
APPEARANCE: Opaque, Green
pH: <1.4
PERCENT VOLATILE BY WEIGHT: 95
VAPOR PRESSURE: Not Available
VAPOR DENSITY: Not Available
BOILING POINT: Not Available
FREEZING/MELTING POINT: Not Available
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: Not Available
SPECIFIC GRAVITY: 1.05
VISCOSITY: 30 to 200cps
OCTANOL/WATER PARTITION COEFFICIENT: Not Available
ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

Chlorine gas.

INCOMPATIBLE MATERIALS:

Oxidizers, chlorine (e.g., bleach), strong bases (e.g., sodium hydroxide), and reactive metals (e.g., aluminum).

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

This product causes eye burns and may cause severe skin irritation or burns. Based on acute toxicity testing, this product is harmful if swallowed. It is not considered to be toxic by skin absorption. The following data are available for this product and its ingredients:

CHARGE Bowl CleanerDate Prepared: 11/20/2000
Date Revised: 11/20/2000

<u>PRODUCT/INGREDIENT</u>	<u>ORAL LD₅₀ (rat)</u>	<u>DERMAL LD₅₀ (rabbit)</u>	<u>INHALATION LC₅₀ (rat)</u>
CHARGE Bowl Cleaner	<5000 mg/kg	>2000	Not Available
Hydrochloric acid	900 mg/kg	Not Available	1562 ppm (4-hr)
n-Alkyl dimethylbenzyl ammonium chloride	500 mg/kg	>2000 mg/kg	Not Available
n-Alkyl dimethylethylbenzyl ammonium chloride	500 mg/kg	>2000 mg/kg	Not Available

SENSITIZATION DATA:

No data available.

CHRONIC DATA:

No data available.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA hazardous waste (Corrosive-D002) in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATIONDOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Consumer Commodity
DOT/TDG HAZARD CLASS: ORM-D**SPECIAL SHIPPING NOTES:**

The ORM-D hazard class applies to U.S. transportation only.

15. REGULATORY INFORMATION*Not meant to be all-inclusive—selected regulations represented.*

CHARGE Bowl Cleaner

Date Prepared: 11/20/2000
Date Revised: 11/20/2000

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate.

313 REPORTABLE INGREDIENTS: Hydrochloric acid is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Not reportable under CERCLA.

EPA

EPA REG. NO.: 8155-6-7176

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

USDA (U.S. DEPARTMENT OF AGRICULTURE):

This product is authorized for use in federally inspected meat and poultry plants.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)

CAS NO.

STATE LISTING

Water

7732-18-5

Not Listed

Hydrochloric acid

7647-01-0

MA, NJ, PA


NA - Not Applicable

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	3
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

NFPA RATING



MSDS STATUS

Revision #: 2

This MSDS replaces the February 25, 2000 MSDS. Any changes in information are as follows:

In Section 1

Date Prepared [] Print CHEMTREC Phone Number

CHARGE Bowl Cleaner

Date Prepared: 11/20/2000
Date Revised: 11/20/2000

In Section 6
General Procedures

In Section 7
Handling

In Section 9
(Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (Group Field) for Boiling Point (Group Field) for Freezing Point (Group Field) for Evaporation Rate (Group Field) for Viscosity Viscosity (From) Viscosity (To) Viscosity (Unit) Coeff Oil/Water

In Section 10
Incompatible Materials

In Section 14
Special Shipping Notes

In Section 15
OSHA Hazard Comm. Rule

In Section 16
HMIS Health (chronic '**')

APPROVED BY: EH&S/Regulatory Affairs
APPROVAL DATE: 11/20/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.