

MATERIAL SAFETY DATA SHEET

TORPEDO Tile and Grout Restorer

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: TORPEDO Tile and Grout Restorer

MANUFACTURER

The Butcher Company
67 Forest Street

Butcher Telephone Number: 800-225-9475
Emergency Telephone (24 hours): 800-228-5635 Ext 118

Marlborough, MA 01752-3012

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Sodium hypochlorite	7681-52-9	3 - 5
1-Octanesulfonic acid, sodium salt	5324-84-5	1 - 3
Octyl dimethyl amine oxide	2605-78-9	1 - 1.5
Sodium hydroxide	1310-73-2	1 - 1.5

See Section 8 for Exposure Limits NA - Not Applicable

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Light Yellow Liquid. Chlorine Odor. May Cause Eye Burns and Skin Irritation. Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Se	ction 11 for Toxicological Information)
----------------------------------	---

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inhalation X Ingestion

EFFECTS OF ACUTE EXPOSURE

EYES:

May cause eye burns. Symptoms may include pain, tearing, redness, swelling, and eye injury.

SKIN:

May cause severe skin irritation. Symptoms may include pain, redness, rash, and swelling.

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat.

INGESTION:

May be harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain.

MSDS No: 4315 Page: 1 of 6

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

EFFECTS OF CHRONIC EXPOSURE:

Prolonged contact may cause skin burns. Symptoms may include pain, redness, swelling, scarring, and skin damage. Prolonged or repeated exposure to an ingredient in this product may cause allergic skin reaction.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES:

Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

SKIN:

Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide), nitrogen oxides, sulfur oxides, and chlorine.

FIRE AND EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

MSDS No: 4315 Page: 2 of 6

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Ventilate spill area. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop and absorbent to collect material for proper disposal. Use non-metallic implements for cleaning and collection. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin and clothing. Avoid breathing mist. Wash thoroughly after handling. Immediately remove contaminated clothing. Wash clothing and equipment before reuse. Destroy contaminated shoes.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

SKIN:

Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

RESPIRATORY:

No respiratory protection is required if general room ventilation is adequate and airborne concentrations are kept below exposure limits. When exposure limits are exceeded, use appropriate respiratory protection (NIOSH/MSHA) to prevent overexposure.

ENGINEERING CONTROLS:

General room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

EXPOSURE LIMITS:

INGREDIENT(S)	OSHA PEL/STEL	ACGIH TLV/STEL
Sodium hypochlorite	11 \	0.5 ppm (1.5 mg/m3)/ 1 ppm (2.9 mg/m3 (Chlorine))
1-Octanesulfonic acid, sodium salt	NE	NE
Octyl dimethyl amine oxide	NE	NE
Sodium hydroxide	2 mg/m3 /(Ceiling)	2 mg/m3 /(Ceiling)

NE - Not Established

MSDS No: 4315 Page: 3 of 6

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Chlorine

APPEARANCE: Clear, Light Yellow

pH: 12.5 to 14.0

PERCENT VOLATILE BY WEIGHT: 90 VAPOR PRESSURE: Not Determined VAPOR DENSITY: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete

SPECIFIC GRAVITY: 1.082 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Determined

ODOR THRESHOLD: Not Determined

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Normally stable. Slowly decomposes upon exposure to heat (temperatures greater than $104\ F\ \{40\ C\}$) and sunlight.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

Chlorine gas.

INCOMPATIBLE MATERIALS:

Strong acids (e.g. hydrochloric acid), reactive metals (e.g., aluminum), ammonia, and oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

No data is available for this product. The following data are available for product ingredients:

PRODUCT/INGREDIENT	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Sodium hypochlorite	8910 mg/kg	10000 mg/kg	10500 mg/m3 (1-hr)
1-Octanesulfonic acid, sodium salt	Not Available	Not Available	Not Available
Octyl dimethyl amine oxide	Not Available	Not Available	Not Available
Sodium hydroxide	Not Available	1350 mg/kg	Not Available

SENSITIZATION DATA:

Sodium hypochlorite has been reported to cause allergic skin reaction (redness, swelling, and itching) in humans.

MSDS No: 4315 Page: 4 of 6

TORPEDO Tile and Grout Restorer

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

CHRONIC DATA:

No data available.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA hazardous waste (Corrosive-D002) in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Consumer Commodity

DOT/TDG HAZARD CLASS: ORM-D

SPECIAL SHIPPING NOTES:

The ORM-D hazard class applies to U.S. transportation only.

15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

- 311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate
- 313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT) CERCLA REGULATORY: Not reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MSDS No: 4315 Page: 5 of 6

TORPEDO Tile and Grout Restorer

Date Prepared: 02/05/1999 Date Revised: 02/05/1999

MASSACHUSETTS, NEW JERSEY, PENNSYLVANI	A RIGHT-TO-KNOW:	
INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Sodium hypochlorite	7681-52-9	MA, NJ, PA
1-Octanesulfonic acid, sodium salt	5324-84-5	Not Listed
Octyl dimethyl amine oxide	2605-78-9	Not Listed
Sodium hydroxide	1310-73-2	MA. NJ. PA

NA - Not Applicable

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D- Division 2B, eye and skin irritant; potential skin sensitizer. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	3
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTI	ON	-

NFPA RATING



MSDS STATUS New MSDS

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 02/05/1999

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user

MSDS No: 4315 Page: 6 of 6