

# MATERIAL SAFETY DATA SHEET

# CROSS CUT All-Purpose Butyl-Based Cleaner/Degreaser

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: CROSS CUT All-Purpose Butyl-Based Cleaner/Degreaser

**MANUFACTURER** 

The Butcher Company 67 Forest Street Marlborough, MA 01752-3012 Butcher Telephone Number: 800-225-9475 Emergency Telephone (24 hours): 800-228-5635 Ext 118

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
2-Butoxyethanol	111-76-2	7 - 10
Sodium carbonate	497-19-8	3 - 5
Sodium xylene sulfonate	1300-72-7	1 - 3
Dodecylbenzenesulfonic acid	27176-87-0	1 - 3

See Section 8 for Exposure Limits NA - Not Applicable

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Clear, Pink Liquid. Solvent Odor. May Cause Eye and Skin Irritation. May Be Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (S	See Section II for	Toxicological Information)
-----------------------------	--------------------	----------------------------

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inhalation

# EFFECTS OF ACUTE EXPOSURE

#### EYES:

May cause eye irritation. Symptoms may include redness and pain.

#### SKIN:

May cause skin irritation. Symptoms may include redness, rash and mild swelling.

#### **INHALATION:**

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

MSDS No: 4325 Page: 1 of 7

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

#### **INGESTION:**

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

#### EFFECTS OF CHRONIC EXPOSURE:

None known.

# MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

## 4. FIRST AID MEASURES

#### EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

#### SKIN:

Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

## INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

#### **INGESTION:**

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

# 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

#### FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

## **EXTINGUISHING MEDIA:**

Use water fog, dry chemical, CO2, or foam.

#### HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide), oxides of sulfur and oxides of sodium.

#### FIRE AND EXPLOSION HAZARDS:

None known.

MSDS No: 4325 Page: 2 of 7

#### FIRE FIGHTING INSTRUCTIONS:

Evacuate area. Cool containers exposed to fire with water. MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

## 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

# 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes and skin. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

#### STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

#### SKIN:

Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

#### **RESPIRATORY:**

No respiratory protection is required if ventilation is adequate.

## **ENGINEERING CONTROLS:**

General room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

MSDS No: 4325 Page: 3 of 7

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

**EXPOSURE LIMITS:** 

INGREDIENT(S)

2-Butoxyethanol

OSHA PEL/STEL

25 ppm (120 mg/m3)/

25 ppm (121 mg/m3)/

(Skin) (Skin)

Sodium carbonateNENESodium xylene sulfonateNENEDodecylbenzenesulfonic acidNENE

NE - Not Established

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

**ODOR: Solvent** 

APPEARANCE: Clear, Pink

pH: 11.5 to 12.5

PERCENT VOLATILE BY WEIGHT: 88 VAPOR PRESSURE: Not Determined VAPOR DENSITY: Not Determined BOILING POINT: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.07 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Determined

ODOR THRESHOLD: Not Determined

## 10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None.

INCOMPATIBLE MATERIALS:

Strong acids (e.g., hydrochloric) and oxidizers (e.g., bleach).

# 11. TOXICOLOGICAL INFORMATION

# ACUTE DATA:

No data is available for this product. The following data are available for product ingredients:

MSDS No: 4325 Page: 4 of 7

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
2-Butoxyethanol	470 mg/kg	220 mg/kg	450 ppm (4-hr)
Sodium carbonate	4090 mg/kg	Not Available	2300 mg/m3 (2-hr)
Sodium xylene sulfonate	4000 mg/kg	3000 mg/kg	Not Available
Dodecylbenzenesulfonic acid	650 mg/kg	Not Available	Not Available

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

#### SENSITIZATION DATA:

No data available.

#### CHRONIC DATA:

Prolonged overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals.

## REPRODUCTIVE/TERATOGENIC DATA:

No data available.

# CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

#### SYNERGISTIC MATERIALS:

No data available.

# 12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

# 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, may be a RCRA hazardous waste in accordance with 40 CFR 261. The product's pH should be verified prior to disposal. According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

## 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

## 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

MSDS No: 4325 Page: 5 of 7

#### Date Prepared: 05/12/1999 Date Revised: 05/12/1999

#### UNITED STATES

## SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

- 311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.
- 313 REPORTABLE INGREDIENTS: 2-Butoxyethanol is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

# CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT) CERCLA REGULATORY: Not reportable under CERCLA.

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

## MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
2-Butoxyethanol	111-76-2	MA, NJ, PA
Sodium carbonate	497-19-8	Not Listed
Sodium xylene sulfonate	1300-72-7	Not Listed
Dodecylbenzenesulfonic acid	27176-87-0	MA, NJ, PA

NA - Not Applicable

#### **CANADA**

# WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye and skin irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# 16. OTHER INFORMATION

#### **HMIS RATING**

HEALTH	*	2
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		ı

#### NFPA RATING



MSDS STATUS New MSDS

MSDS No: 4325 Page: 6 of 7

aner/Degreuser

Date Prepared: 05/12/1999 Date Revised: 05/12/1999

APPROVED BY: EH&S/Regulatory Affairs APPROVAL DATE: 05/12/1999

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4325 Page: 7 of 7