

Page 1 of 7 CND-N-072

!		- 1											
Pre	epared to OSHA	A. ACC	, ANSI, NO	HSC, WHI	MIS & 2001/:	58 EC S	tandards	MSDS	Revision:	7.0	MSD	S Revision Da	te: 04/01/2008
											·		
					1. Pi	RODI	JCT IDE	NTIFIC	ATION				
1.1	Product Name:							-					
	BRISA™	GEL	(WHITE)									
1.2	Chemical Name												
	METHACRYLA	ATE MIX	(TURE										
1.3	Synonyms:							,					
	BRISATM WHIT	IE OPA	QUE SCULI	PTING GEI	; BRISA™ SC	OFT WHI	TE OPAQU	UE SCULP	TING GEL			-	
1.4	Trade Names:				🗸	,						.,,,	
	Brisa™ G	<u> :el -</u>	Sculpti	ng Ge	i: Pure \	<u> White</u>	<u>: - Opa</u>	ique,	Soft Wh	ite - Op	paqı	ue.	
1.5	Product Use:							*****				7.13	
1.6	PROFESSIONA Distributor's Name		ONLY										
1.0	CREATIVE NA		CN INC				•						
1.7	Distributor's Addre		JIT, 111C.									. =	
	1125 JOSHUA		VISTA, CA	92081 US	A								
1.8	Emergency Phone				***************************************								
	CHEMTREC	:: +1 (800) 424	-9300 /	+1 (703)	527-3	887						
1.9	Business Phone:								*****				
	(800) 833-NAI	IL (624	5), (760) 59	79-2900									
	····												
					2. H.	AZAR	D IDEN	ITIFIC	ATION	7316.0.			*
2.1	Hazard Identificati	tion:	·										
	This product NOHSC:1088 (is not (2004)	classified	as a HA Code (Au	ZARDOUS S	UBSTAN	ICE or as	DANGE	ROUS GOO	DDS accor	ding	to the classifi	cation criteria c
2.2	Routes of Entry:				Inhalatio	n· Y	'ES	Ar	sorption:	YES		Ingestions	Vee
2.3	Effects of Exposure	9:			1				SOIDION.	1 1 1 2		Ingestion:	YES
	INGESTION:	If pro	oduct is s ession.	wallowed	i, may cau	ise nau	isea, hea	ıdache,	vomiting	and/or dia	ırrhea	and central	nervous systen
	EYES:	Irritati	ng to the	eyes. Syn	nptoms of o	verexp	osure may	y include	redness, i	tchina, irrit	ation (and watering.	
	SKIN:	May i	oe irritating	g to skin ir	n some sens	itive in	dividuals,	especial	ly after pro	lonaed an	d/or r	epeated cont	act
İ	INHALATION:	inhaic the le	ation of va vels listed	pors is un I in Sectio	likely under	r norma osition	il condition and incre	ns of use	and hand	lina, howe	ver in	halation of vo	pors in excess o estem depression
.4	Symptoms of Overe			<u>-, -, -, -, 10.</u>	,	ica, mad	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>						
ļ	EYES:	Overe	exposure i	n eyes mo	ay cause re	dness, i	tching and	d waterir	ıg.				
	SKIN:	Sympi areas	toms of sk	in overex	cposure in s	ome se	≥nsitive in	dividuals	may incl	ude redne	ss, itc	hing, and irrit	ation of affected
5	Acute Health Effec	rts:			***************************************								
	EYES:				n to eyes ne								
_	SKIN:	Mild to			to skin nec								
	Chronic Health Effe	ects:				. =							
6													
	None known.												
.6	None known. Target Organs: Eyes and skin.	<u> </u>											



Page 2 of 7

CND-N-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

<u> </u>	parca 10 0011/1, //CC, A/10/,	, WI IV	3 & 2001/38 EC	o ordinadras	I MODO	KENISIOI	1. 7.0	-	MSD	5 Revis	ол ра	re: U4/	01/200	JB
		3. CO!	MPOSITIO	N & INGR	EDIEN'	TINF	ORM	ATIC	N					-
			1			1	O 1011			MITS II	J AIR (ma/m	3)	
				1		AC	GIH		NOHS		1 200	OSHA		
						PF	m		ppm	-		ppm		OTHE
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDIH	
	HANE METHACRYLATE	NA	NA	NA	< 90.0	NE	NE	NF	NF	NF	NE	NE	NE	
METH	ACRYLATE MONOMERS	NA	NA	NA	< 7.0	NE	NE	NF	NF	NF	NE	NE	NE	
SILIC	A DIMETHICONE SILYLATE	112945-52-5	VV73100000	231-545-4	< 7.0	(10)	NE	NF	NF	NF	(10)	NE	NE	DUST
PHO	TOINITIATORS	NA	NA	NA	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	500
CI 77	7891 (TITANIUM DIOXIDE)	13463-67-7	XR2275000	236-675-5	< 0.5	NE	NE	NF	NF	NF	NE	NE	NE	
CI 60	0730 (EXT. VIOLET 2)	4430-18-6	NA	224-618-7	< 0.1	NE	NE	NF	NF	NF	NE	NE	NE	
						,,,,,,	142				INL	146	INE	
		I			·			<u> </u>				L	l	
			A EI	RST AID M	EACH	DEC								
4.1	First Aid:		4. [1]	V21 MID M	EASU	KES								
4,2	EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at le 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. Medical Conditions Aggravated by Exposure: None known.													
			5. FIRE	IGHTING	MEAS	URES	·			••••	****			
5.1	Flashpoint & Method:													
	> 160 °F (71 °C) c.c.													
5.2	Autoignition Temperature: NA													
5.3	Flammability Limits:		Lower Explosi	ve Limit (LEL):	T	ND	U	pper E	visolax	e Limit	(UEL):		ND	
5.4	Fire & Explosion Hazards:						•							
5.5	Extinguishing Methods:								•					
	CO ₂ , Halon, Dry Chemical	or Foam as aut	horized.											
5.6	Firefighting Procedures: This product is a combus decompose to produce co	ırbon oxides.					_		-	ĺ	1		1)	>
	First responders should we equipment. Use a water specification of the involving a fire involving.	oray or fog to re	educe or direc	firefighters m t vapors. Wat	ust wear Ier may i	SCBAs	and f	ull pro ve in a	tective ctually	:		\vee		



Page 3 of 7 CND-N-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 6. ACCIDENTAL RELEASE MEASURES Soils: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states. HEALTH No special body protection is required under typical circumstances of use and **FLAMMABILITY** handling. If necessary, refer to appropriate standards of Canada, the E.C. member 1 states, or U.S. OSHA. REACTIVITY 1 PROTECTIVE EQUIPMENT



Page 4 of 7 CND-N-072

Pre	pared to OSHA, ACC, ANSI,	NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008
-		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	> 1.2
9.2	Soiling Point:	
9.3	Melting Point:	NE NE
9.4		NE
7. 4 9.5	Evaporation Rate:	> 302 °F (150 °C)
	Vapor Pressure:	. NE
9.6	Molecular Weight:	NE NE
7.7	Appearance & Color:	White viscous gel with faint ester odor
7.8	Odor Threshold:	NE
.9	Solubility:	Slightly soluble in water.
.10	PH	ND ND
2.11	Viscosity:	Non-flowing gel
2.12	Other Information:	Vapor density > 1.0
		10. STABILITY & REACTIVITY
0.1	Stability:	THE STREET OF THE STREET STREET
	Stable under ambient con	ditions when stored properly (see Section 7, Storage and Handling).
0.2	Hazardous Decomposition Product	S:
,	if exposed to extremely h gases (e.g., CO, CO ₂).	igh temperatures, the products of thermal decomposition may include irritating vapors and carbon oxid
).3	Hazardous Polymerization:	
	May occur, if exposed to e	extremely high temperatures.
).4	Conditions to Avoid:	
	None known.	
0.5	Incompatible Substances: This product is incompatib muriatic acids), or strong b	ole with alkaline metais, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric a ases (e.g., lye, potassium hydroxide).
	0.0000	11. TOXICOLOGICAL INFORMATION
1.1	Toxicity Data:	
	This product has NOT bee	en tested on animals to obtain toxicology data. There are toxicology data for the components of the a scientific literature. These data have not been presented in this document.
.2	Acute Toxicity:	The state of the s
	See section 2.5	
.3	Chronic Toxicity:	
	See section 2.6	
.4	Suspected Carcinogen: NA	
.5	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
7	Mutagenicity:	This product is not reported to couse reproductive foxicity in humans. This product is not reported to produce mutagenic effects in humans.
f	Embryotoxicity:	
r	Teratogenicity:	This product is not reported to produce embryotoxic effects in humans.
ŀ	Reproductive Toxicity:	This product is not reported to cause teratogenic effects in humans.
+	Irritancy of Product:	This product is not reported to cause reproductive effects in humans.
0 1		
ا ه.	See section 2.3	
_	See section 2.3 Biological Exposure Indices:	
_	······································	
.7	Biological Exposure Indices:	
.7	Biological Exposure Indices: NE	



Page 5 of 7 CND-N-072

Preg	repared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Do	ite: 04/01/2008
	12. ECOLOGICAL INFORMATION	
12.1	.i Environmental Stability:	
	There are no specific data available for this product.	
12.2		
12.3	There are no specific data available for this product. 3 Effects on Aquatic Life:	
12.3	There are no specific data available for this product; however, very large releases of this product may be	harmful or fatal to
	overexposed aquatic life.	naminor or raids to
	13. DISPOSAL CONSIDERATIONS	
13.1	, ,	
	Waste disposal must be in accordance with appropriate federal, state, and local regulations.	_·
13.2	2 Special Considerations: NA	
	14. TRANSPORTATION INFORMATION	
T 1		
ine i	e basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode <u>dditional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.</u>	∍ of transportation.
14.1		
	NOT REGULATED	
14.2		,
140	NOT REGULATED	
14.3	3 IMDG (OCN): NOT REGULATED	
14.4		
	NOT REGULATED	
14.5		
144	NOT REGULATED	
14.6	SCT (MEXICO): NOT REGULATED	
14.7		
	NOT REGULATED	
	15. REGULATORY INFORMATION	
15.1		
150	NA NA NA STA CLOS TRANSPORTED TO THE TROOP	
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ): There are no specific Threshold Planning Quantities for the components of this product.	
15.3		
	The components of this product are listed on the TSCA Inventory as appropriate.	
15.4		
15.5	NA Ofther U.S. Federal Requirements:	
13.3	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cos	metics)
15.6		inches).
Ì	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of	
	the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7		
	No components of this mixture are listed in the California Proposition 65 Lists.	
15.8	European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:	
	The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.	ļ l
	The primary components of this product are not listed as Hazardous Components with the Australian	
	Government, Australian Safety and Compensation Council, (HSIS). S: 24 Avoid contact with eyes.	
	1	



Page 6 of 7

CND-N-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

16. OTHER INFORMATION

16.1 Other Information:

Warning: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reactions occur, discontinue use immediately. Keep out of reach of children. Keep out of sunlight. FOR PROFESSIONAL USE ONLY

16.2 Terms & Definitions:

Please see last page of this MSDS.

16.3 Disclaimer.

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

6.4 Prepared for:

Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax

http://www.cnd.com/
16.5 Prepared by:

ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com

CNDE

Hands, Feet, Beauty,



Danggrous Goods
Toutning & Concilina



Page 7 of 7

CND-N-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number	
		_

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR

	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest compressions
ì	and breathing to circulate blood and provide oxygen to the
ı	body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A	B			
В	8			
С	B		*	
D			*	
E	B	and a		
F	Ø		4	























Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autolgnitlon Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
. LEL	Lower Explosive Umit - lowest percent of vapor in cit, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SC8A	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
. 3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Сопозіче
-₩-	Use No Water
OX .	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the								
LUSO	exposed animals s								
10	Lethal concentration (gases) which kills 50% of the								
LC ₅₀	exposed animal								
	Concentration expressed in parts of material per million								
ppm	parts								
TD _{to}	Lowest dose to cause a symptom								
TCLo	Lowest concentration to cause a symptom								
TD _{to} , LD _{to} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic								
TC, TCo, LCio, & LCo	effects								
IARC	International Agency for Research on Cancer								
NTP	National Toxicology Program								
RTECS	Registry of Toxic Effects of Chemical Substances								
8CF	Bioconcentration Factor								
TLm	Median threshold limit								
log Kow or log Koc	Coefficient of Oil/Water Distribution								

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

= 7		Ù,	. 1	Ċ	.ę.		X.
С	E	F	N	0	Ĩ+	Χi	Xn
Сопозіче	evisolas	Flammable	Hamful	Oxidizing	Toxic	irritant	Harmfyl

WHMIS INFORMATION:

0		(8)	9	(T)	®		R
Α	В	Ç	D1	D2	D3	Е	F
Compressed	flammable	Oxidizing	Toxic	tritation	Infectious	Corrosive	Reactive