

07.115.002



MATERIAL SAFETY DATA SHEET

 Page 1 of 7
 CND-N-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 04/01/2008

1. PRODUCT IDENTIFICATION

| | |
|-----|--|
| 1.1 | Product Name: BRISA™ BOND |
| 1.2 | Chemical Name: ETHANOL SOLUTION |
| 1.3 | Synonyms: BRISA™ LIQUID BOND |
| 1.4 | Trade Names: Brisa™ Bond – Gel Bonding Agent |
| 1.5 | Product Use: FOR PROFESSIONAL USE ONLY |
| 1.6 | Distributor's Name: CREATIVE NAIL DESIGN, INC. |
| 1.7 | Distributor's Address: 1125 JOSHUA WAY, VISTA, CA 92081 USA |
| 1.8 | Emergency Phone: CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887 |
| 1.9 | Business Phone: (800) 833-NAIL (6245), (760) 599-2900 |

2. HAZARD IDENTIFICATION

| | | | | | | | |
|-----|---|-------------|-----|-------------|-----|------------|-----|
| 2.1 | Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia). | | | | | | |
| 2.2 | Routes of Entry: | Inhalation: | YES | Absorption: | YES | Ingestion: | YES |
| 2.3 | Effects of Exposure: INGESTION: Gastrointestinal irritation and central nervous system depression. EYES: Mild to moderate irritation. SKIN: Irritant and potential skin sensitizer. Prolonged or repeated skin contact may cause contact dermatitis (localized redness or rash). INHALATION: Central nervous system depressant. Irritating to the upper respiratory tract. | | | | | | |
| 2.4 | Symptoms of Overexposure: INGESTION: Nausea, vomiting, and diarrhea. EYES: Mild irritation, redness, and watering. SKIN: Contact dermatitis, characterized by localized red or puffy dry skin and itching. INHALATION: Mouth, nose, and throat irritation, dizziness, nausea, light-headedness, drunkenness, and loss of coordination. | | | | | | |
| 2.5 | Acute Health Effects: INGESTION: Gastrointestinal irritation and central nervous system depression. EYES: Mild to moderate irritation. SKIN: Irritant and potential skin sensitizer. Prolonged or repeated skin contact may cause contact dermatitis (localized redness or rash). INHALATION: Central nervous system depressant. Irritating to the upper respiratory tract. | | | | | | |
| 2.6 | Chronic Health Effects: INGESTION: None reported by the manufacturer. EYES: None reported by the manufacturer. SKIN: None reported by the manufacturer. INHALATION: None reported by the manufacturer. | | | | | | |
| 2.7 | Target Organs: Skin, eyes and respiratory system. | | | | | | |

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 1.6 for Additional Definitions of Terms Used. Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

115202000 . 2502

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 04/01/2008


3. COMPOSITION & INGREDIENT INFORMATION

| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | EXPOSURE LIMITS IN AIR (mg/m ³) | | | | | | | | |
|--|------------|-----------|------------|--------|---|------|--------|---------|---------|------|------|------|-------|
| | | | | | ACGIH | | NOHSC | | | OSHA | | | OTHER |
| | | | | | ppm | | ppm | | | ppm | | | |
| | | | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | |
| SDA-40B (ETHANOL) | 64-17-5 | KQ6300000 | 200-578-6 | > 75.0 | 1900 | NA | 1880 | NF | NF | 1900 | NE | NE | |
| BUTYL ACETATE | 123-86-4 | AF7350000 | 204-658-1 | < 20.0 | 150 | 200 | 713 | 950 | NF | 150 | 710 | NE | |
| ACRYLIC ESTER MONOMER | 21282-97-3 | NA | 244-311-1 | < 5.0 | NE | NE | NF | NF | NF | NE | NE | NE | |
| WATER | 7732-18-5 | ZC0110000 | 231-791-2 | < 5.0 | NE | NE | NF | NF | NF | NE | NE | NE | |
| OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION | | | | BAL | THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS | | | | | | | | |

4. FIRST AID MEASURES

| | | |
|-----|--|---|
| 4.1 | First Aid: | <p>INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p>EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.</p> <p>SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p>INHALATION: Remove victim to fresh air at once. Under extreme conditions if breathing stops, perform artificial respiration and seek immediate medical attention.</p> |
| 4.2 | Medical Conditions Aggravated by Exposure: | Pre-existing respiratory and skin disorders. |

5. FIREFIGHTING MEASURES

| | | | |
|-----|---------------------------|---|--|
| 5.1 | Flashpoint & Method: | 64.3 °F (18.0 °C) TCC | |
| 5.2 | Autoignition Temperature: | NA | |
| 5.3 | Flammability Limits: | Lower Explosive Limit (LEL): 3.3% Upper Explosive Limit (UEL): 19% | |
| 5.4 | Fire & Explosion Hazards: |  | |
| 5.5 | Extinguishing Methods: | | CO ₂ , Foam, Halon, Dry Chemical or water spray as authorized. |
| 5.6 | Firefighting Procedures: | | <p>Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious protective clothing.</p> <p>HAZCHEM CODE: 2[Y]E</p> |



MATERIAL SAFETY DATA SHEET

Page 3 of 7
CND-N-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 04/01/2008

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:
Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
 For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.
 For spills \geq 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:
Wash hands thoroughly after using this product and before eating, drinking, or smoking.

7.2 Storage & Handling:
 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

7.3 Special Precautions:
None.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:
 Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).

8.2 Respiratory Protection:
None required, when used with adequate ventilation.

8.3 Eye Protection:
Safety glasses with side shields should be used with this product.

8.4 Hand Protection:
None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon(3.785 liters)), wear rubber or impervious plastic gloves.

| | | |
|---|-----------------------------|----------|
| 8.5 Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., \geq 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. | HEALTH | 2 |
| | FLAMMABILITY | 3 |
| | REACTIVITY | 0 |
| | PROTECTIVE EQUIPMENT | A |
| | EYES | |



MATERIAL SAFETY DATA SHEET

Page 4 of 7
CND-N-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

9. PHYSICAL & CHEMICAL PROPERTIES

| | | |
|------|---------------------|--|
| 9.1 | Density: | 0.8 (water=1) |
| 9.2 | Boiling Point: | 174 °F (79 °C) @ 20mmHg |
| 9.3 | Melting Point: | -130°F (-90 °C) |
| 9.4 | Evaporation Rate: | (n-BuAc=1) 2.1 – 2.4 |
| 9.5 | Vapor Pressure: | 25 @ 70 °F |
| 9.6 | Molecular Weight: | NA |
| 9.7 | Appearance & Color: | Clear, colorless liquid with a mild alcohol odor |
| 9.8 | Odor Threshold: | NE |
| 9.9 | Solubility: | Complete |
| 9.10 | pH | 7-9 |
| 9.11 | Viscosity: | Mobile liquid |
| 9.12 | Other Information: | Vapor Density = 1.6 (Air=1) |

10. STABILITY & REACTIVITY

| | | |
|------|-----------------------------------|---|
| 10.1 | Stability: | Stable under normal conditions of use (see section 7). |
| 10.2 | Hazardous Decomposition Products: | Irritating vapors and toxic gases (e.g., carbon monoxide and carbon dioxide) when involved in fire. |
| 10.3 | Hazardous Polymerization: | Will not occur. |
| 10.4 | Conditions to Avoid: | Use or storage near open flames, sparks, high heat (>100°F) or other heat sources, and proximity to incompatible substances and heavily trafficked areas. |
| 10.5 | Incompatible Substances: | Strong oxidizing agents, nitrates, strong acids and bases. |

11. TOXICOLOGICAL INFORMATION

| | | |
|------|------------------------------|--|
| 11.1 | Toxicity Data: | This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. |
| 11.2 | Acute Toxicity: | See section 2.5 |
| 11.3 | Chronic Toxicity: | See section 2.6 |
| 11.4 | Suspected Carcinogen: | NE |
| 11.5 | Reproductive Toxicity: | This product is not reported to produce reproductive toxicity in humans. |
| | Mutagenicity: | This product is not reported to produce mutagenic effects in humans. |
| | Embryotoxicity: | This product is not reported to produce embryotoxic effects in humans. |
| | Teratogenicity: | This product is not reported to produce teratogenic effects in humans. |
| | Reproductive Toxicity: | This product is not reported to produce reproductive effects in humans. |
| 11.6 | Irritancy of Product: | See section 2.3 |
| 11.7 | Biological Exposure indices: | NE |
| 11.8 | Physician Recommendations: | Treat symptomatically. |

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 04/01/2008

12. ECOLOGICAL INFORMATION

- 12.1 Environmental Stability:
This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
- 12.2 Effects on Plants & Animals:
There is no specific data available for this product.
- 12.3 Effects on Aquatic Life:
Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life.

13. DISPOSAL CONSIDERATIONS

- 13.1 Waste Disposal:
Dispose of in accordance with federal, state or local regulations.
- 13.2 Special Considerations:
U.S. EPA WASTE NUMBER: D001 (characteristic - ignitable)

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.

- 14.1 49 CFR (GND):
**CONSUMER COMMODITY, ORM-D (≤ 1.0 L)
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II (> 1.0 L)**
- 14.2 IATA (AIR):
**CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L)
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II (> 0.5 L)**
- 14.3 IMDG (OCN):
**UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II, LTD QTY (≤ 1.0 L)
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II (> 1.0 L)**
- 14.4 TDGR (Canadian GND):
**MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L)
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II (> 1.0 L)**
- 14.5 ADR/RID (EU):
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, 3 °(b), ADR, LTD QTY (≤ 1.0 L)
- 14.6 SCT (MEXICO):
UN1993, LIQUIDOS INFLAMABLES, N.E.P. (ethanol, butyl acetate), 3, II, CANTIDAD LIMITADA (≤ 1.0 L)
- 14.7 ADGR (AUS):
**UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II, LTD QTY (≤ 1.0 L)
UN1993, FLAMMABLE LIQUID, N.O.S. (ethanol, butyl acetate), 3, II (> 1.0 L)**



15. REGULATORY INFORMATION

- 15.1 U.S. EPA SARA Title III Reporting Requirements:
NA
- 15.2 U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):
NA
- 15.3 U.S. TSCA Inventory Status:
All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status.
- 15.4 U.S. CERCLA Reportable Quantity (RQ):
NA
- 15.5 Other U.S. Federal Requirements:
This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).
- 15.6 Other Canadian Regulations:
This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid.



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards


MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

15. REGULATORY INFORMATION - Continued

15.7 U.S. State Regulatory Information:
Ethanol and Butyl Acetate are covered under specific state criteria. No components of this product are listed on the California Proposition 65 lists.

15.8 European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:
The primary component of this product is listed in Annex I of EU Directive 67/548/EEC:
Ethanol: Flammable (F): R: 11-20/21/22-36/37/38-40 - Highly flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin. S: 7-16-24/25-36/37/39-45 - Keep container tightly closed. Keep away from sources of ignition -- No smoking. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately.
Butyl Acetate: Flammable (F). R: Flammable. S: 9-16-33 - Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.
HAZCHEM CODE: 2[Y]E



16. OTHER INFORMATION

16.1 Other information:
WARNING: Precisely follow directions and MSDS (available through your supplier) for use. **EXTREMELY FLAMMABLE!** Keep away from heat or flame. **Avoid all skin contact.** If redness or other signs of adverse reaction occur, discontinue use immediately. Avoid eye contact. Do not ingest. If swallowed, do not induce vomiting, seek medical attention. **KEEP OUT OF REACH OF CHILDREN. FOR PROFESSIONAL USE ONLY.**

16.2 Terms & Definitions:
Please see last page of this MSDS.

16.3 Disclaimer:
This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:
Creative Nail Design, Inc.
A Division of Colomer U.S.A., Inc.
1125 Joshua Way
Vista, CA 92081 USA
(800) 833-NAIL (6245) phone
(760) 599-2900
(760) 599-4005 fax
<http://www.cnd.com/>



16.5 Prepared by:
ShipMate, Inc.
PO Box 787
Sisters, OR 97759-0787 USA
Phone: +1 (310) 370-3600
Fax: +1 (310) 370-5700
e-mail: shipmate@shipmate.com



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 | MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| | |
|---------|----------------------------------|
| CAS No. | Chemical Abstract Service Number |
|---------|----------------------------------|

EXPOSURE LIMITS IN AIR:

| | |
|-------|---|
| ACGIH | American Conference on Governmental Industrial Hygienists |
| TLV | Threshold Limit Value |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous to Life and Health |


FIRST AID MEASURES:

| | |
|-----|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|-----|--|

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | |
|---|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:

| | | | |
|---|--|---|--|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or S.O.P. for special handling directions. |

| | | | |
|------------------|-------------------------|------------------------------|----------------------|
| | | | |
| Safety Glasses | Splash Goggles | Face Shield & Eye Protection | Gloves |
| | | | |
| Boots | Synthetic Apron | Full Suit | Dust Respirator |
| | | | |
| Vapor Respirator | Dust & Vapor Respirator | Full Face Respirator | Airline Hood/Mask or |

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


| | |
|--------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

OTHER STANDARD ABBREVIATIONS:

| | |
|------|------------------------------------|
| NA | Not Available |
| NR | No Results |
| NE | Not Established |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA | Self-Contained Breathing Apparatus |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

| | |
|-----|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| -W | Use No Water |
| OX | Oxidizer |



TOXICOLOGICAL INFORMATION:

| | |
|--|---|
| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD ₀₁ | Lowest dose to cause a symptom |
| TCLO | Lowest concentration to cause a symptom |
| TD ₀₁ , LD ₀₁ , & LD ₅₀ or TC, TC ₀₁ , LC ₀₁ , & LC ₅₀ | Lowest dose (or concentration) to cause lethal or toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL _m | Median threshold limit |
| log K _{ow} or log K _{oc} | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| | |
|-------|--|
| WHMIS | Canadian Workplace Hazardous Material Information System |
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| CPR | Canada's Controlled Product Regulations |

EC INFORMATION:

| | | | | | | | |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
| | | | | | | | |
| C | E | F | N | O | T+ | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

WHMIS INFORMATION:

| | | | | | | | |
|------------|-----------|-----------|-------|------------|------------|-----------|----------|
| | | | | | | | |
| A | B | C | D1 | D2 | D3 | E | F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |