

Page 1 of 7 CND-N-013

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Sto	andards	MSDS Revision: 7.0	MSDS	Revision Date: 04/01	1/2008
	1. PRODU	CT IDE	NTIFICATION			
1.1	Product Name:					
	MASSAGE OIL					
1.2	Chemical Name:					
	BOTANICAL OILS BLEND					
1.3	Synonyms: MASSAGE OIL					
1.4	Trade Names:					
	Massage Oil – Hydrating Oil					
1.5	Product Use:				And the second s	
	COSMETIC USE ONLY				*	
1.6	Distributor's Name:					
	CREATIVE NAIL DESIGN, INC.					
1.7	Distributor's Address:					
1.8	1125 JOSHUA WAY, VISTA, CA USA 92081 Emergency Phone:					
1.0	CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887					
1.9	Business Phone:					
"	(800) 833-NAIL (6245), (760) 599-2900					
	2. HAZAR	D IDEN	TIFICATION			
2.1	Hazard Identification:		,			
	This product is not classified as a HAZARDOUS SUBSTAN NOHSC:1088 (2004) and ADG Code (Australia).	ICE or as	DANGEROUS GOODS of	ccording t	o the classification	criteria of
2.2	Routes of Entry: Inhalation:	NO	Absorption:	NO	Ingestion:	YES
2.3	Effects of Exposure:		0x			
	INGESTION: If product is swallowed, may cause nausea	, vomiting	and/or diarrhea.			
	EYES: Slightly irritating to the eyes.					
- 1	SKIN: May be irritating to skin in some sensitive in	dividuals,	especially after prolonge	ea contact.		
2.4	INHALATION: Inhalation is very untikely. Symptoms of Overexposure:				Management of the second	
2.4	SKIN: Symptoms of overexposure may include re-	dness itch	ing, and initation.			
2.5	Acute Health Effects:				-	
	SKIN: Redness, Itching, and irritation of skin at the	site of cor	ntact for some sensitive i	ndividuals.		
2.6	Chronic Health Effects:					
	None known.					
2.7	Target Organs:					and the state of t
1	Eyes, skin.		5 1 O - O - W W - W		- 1 / f A -1 -1*4*	D = F = 111 = 1
	Not Available; ND = Not Determined; NE = Not Established rms Used. Note: All WHMIS required information is included.					
01 161	THE COCK, PICTOR AND PROPERTY OF THE COCKET	ii is tocali	od in appropriate section	12 20100 01	7 17 10 7 1 10 1 L-100 1 - 20 C	,

115411366 / 115411369 / 115411368 (disc) 115411363 / 115438636 115438033



Page 2 of 7 CND-N-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

	J. C.	MLOSIII	ON & ING	(EDIEN	11 114	FUR	AIVI	OIA					
CONTROL OF THE CONTRO	1		T		EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC	:		OSHA		
					PE	ppm		ppm		ppm		OTHER	
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
CAPRYLIC TRIGLYCERIDE	65381-09-1	NA	265-724-3	> 70.0	NE	NE	NF	NF	NF	NE	NE	NE	
ORYZA SATIVA OIL	68553-81-1	NA	271-397-8	> 25.0	NE	NE	NF	NF	NF	NE	NE	NE	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL	90045-98-0	NY9262700	289-964-3	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	
TOCOPHERYL ACETATE	58-95-7	GP8280000	200-405-4	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	
COCOS NUCIFERA (COCONUT) OIL	8001-31-8	GG6040000	232-282-8	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	
CANANGA ODORATA (YLANG YLANG) FLOWER OIL	83863-30-3	NA	281-092-1	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	
FRANGRANCE (PARFUM)	NA	NA	NA	< 0.2	NE	NE	NF	NF	NF :	NE	NE	NE	
LINALOOL	78-70-6	RG5775000	201-134-4	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
BENZYL BENZOATE	120-51-4	DG4200000	204-402-9	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
BENZYL SALICYLATE	118-58-1	VO1750000	204-262-9	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
BENZYL ALCOHOL	100-51-6	DN3150000	202-859-9	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
EUGENOL	97-53-0	SJ43750000	202-589-1	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALELEGEN
GERANIOL	106-24-1	RG5830000	203-377-1	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
SOEUGENOL	97-54-1	SL78750000	202-590-7	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	
FARNESOL	4602-84-0	JR4979000	225-004-1	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	
SOPROPYLPARABEN	4191-73-5	NA	NA	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	
SOBUTYLPARABEN	4247-02-3	NA	224-208-8	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	

4. FIRST AID MEASURES

First Aid:

INGESTION:

DO NOT INDUCE VOMITING. Contact Chemīrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. It vomiting occurs spontaneously, keep victim's head

lowered (forward) to reduce the risk of aspiration.

EYES:

If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelld(s)

to ensure thorough irrigation. If irritation persists consult a physician.

SKIN:

If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and

soap. Remove contaminated clothing and wash thoroughly before reuse. If irritation persists, consult a physician.

INHALATION: Remove victim to fresh air at once. Medical Conditions Aggravated by Exposure:



Page 3 of 7 CND-N-013

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0	MSDS Revision Date: 04/01/2008					
	5. FIREFIGHTING MEASURE	:					
<i>C</i> 1							
5.1	Floshpoint & Method: Non-floramable.						
5.2	Autolgnition Temperature:	-					
	NA						
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA	Upper Explosive Limit (UEL): NA					
5.4	Fire & Explosion Hazards:						
5.5	This product is not flammable; however, it will burn it involved in a fire.						
3.3	Extinguishing Methods: Foam, CO ₂ or Dry Chemical , as authorized.						
5.6							
	NA						
		. FA					
	6. ACCIDENTAL RELEASE MEASUR	(E2)					
6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear approp	riato Berenai Bratactive Equipment					
	For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective	equipment (e.g. goggies gloves). Maximize					
	ventilation (open doors and windows). Remove spilled material with absorbent	material and place into appropriate closed					
	container(s) for disposal. Dispose of properly in accordance with local, state and fee outside of container with plenty of warm water and soap. Remove any contaminated of	ieral regulations. Wash all affected areas and					
	For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and	contain spill with inert material (e.g., sand or					
	earth). Transfer liquid to containers for recovery or disposal and solid diking mater. Remove contaminated clothing promptly and wash affected skin areas with soap and	ial to separate containers for proper disposal.					
	municipal sewers and open bodies of water.	radiet, keep spins and cleaning fortons out of					
	7. HANDLING & STORAGE INFORMA	TION					
7.1	Work & Hygiene Practices:	to the second and a second and					
	Follow normal hygiene practices. Do not eat, drink or smake while handling produc should be worn when working with large quantities (> 1 gallon (3.785 liters)) of this mate	r. Appropriate personal protective equipment rial.					
7.2	Storage & Handling:	officials. By makeless to demonstrate a commendate of					
	Use and store in a cool, dry location. Keep away from excessive heat and direct su containers or storage devices. Keep containers closed when not in use.	nlight. Do not store in damaged of unmarked					
7.3	Special Precautions:						
	Spilled material may present a slipping hazard if left unattended. Clean all spills prompt	lly.					
	8. EXPOSURE CONTROLS & PERSONAL PRO	OTECTION					
8.1	Ventilation & Engineering Controls:	444					
	General mechanical (local exhaust ventilation, fans) or natural ventilation is sufficient w	hen this product is in use.					
8.2	Respiratory Protection:						
	None required.						
8.3	Eye Protection: None required under normal conditions of use. When handling large quantities (e.g., ≥	1 collon (3 785 liters)) safety alasses with side					
antinette Trying	shields should be used.	Gallott (6.700 melly), salely glosses will sale					
8.4	Hand Protection:						
	None required under normal conditions of use. When handling large quantities (e impervious plastic gloves.	.g., ≥ 1 gallon (3.785 liters)), wear rubber or					
8.5	Body Protection:	HEALTH 1					
	No apron required when handling small quantities.						
	When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving	FLAMMABILITY 0					
	large quantities of this product, wash any exposed areas thoroughly with soap and	REACTIVITY 0					
	water.	PROTECTIVE EQUIPMENT					



Page 4 of 7 CND-N-013

Prep	ared to OSHA, ACC, ANSI, NOH	SC, WHMIS & 2001/58 EC Standards	MSDS Revision: 7.0	MSDS Revision Date: 04/01/2008				
		9. PHYSICAL & CHEM	CAL PROPERTIES					
9.1	Density:	.94						
9.2	Boiling Point:	ND						
9.3	Melting Point:	ND						
9.4	Evaporation Rate:	ND ND						
9.5	Vapor Pressure:	ND ND						
9.6	Molecular Weight:	ND ND						
			de adia					
9.7	Appearance & Color:	Clear to yellowish liquid with a wood	dy odor.					
9.8	Odor Threshold:	NÐ						
9.9	Solubility:	Insoluble						
9.10	ρΗ	ND						
9.11	Viscosity:	30 cps						
9.12	Other Information:	NA		LANGE TO THE RESIDENCE OF THE PARTY OF THE P				
		10. STABILITY &	REACTIVITY					
10.1	Stability:							
	This product is stable.			And the second s				
10.2	Hazardous Decomposition Products:							
	Oxides of carbon and nifrogen	•						
10.3	Hazardous Polymerization:	,						
10.4	Will not occur.	A CONTRACTOR OF THE CONTRACTOR						
10.4	Conditions to Avoid:							
10.5	High heat and direct sunlight. Incompatible Substances:							
	None known.							
		11. TOXICOLOGICAL	INFORMATION					
11.1	Toxicity Data:							
2 563	This product has not been tes	ted on animals to obtain toxicologic	al data. There are toxico	logy data for the components of this				
	product, which are found in the	scientific literature. These data have	not been presented in this	document.				
11.2	Acute Toxicity:							
	See section 2.5							
11.3	Chronic Toxicity:							
	See section 2.6 Suspected Carcinogen:							
11.4	NE							
11.5	Reproductive Toxicity:							
		roduce reproductive toxicity in huma	ns.	739				
	Mutagenicity:	This product is not reported to produ						
-	Embryotoxicity:	This product is not reported to produ						
H	Teratogenicity:	This product is not reported to produ This product is not reported to produ						
11.6	Reproductive Toxicity: Initiancy of Product:	mas product is not reported to produ	ee reproductive eneets in th	THE STATE OF THE S				
	See section 2.3							
11.7	8iological Exposure Indices:	A STATE OF THE STA						
	NE							
11.8	Physician Recommendations:							
	Treat symptomatically.							



Page 5 of 7 CND-N-013

-	Li Della AGG ANEL NOUSC WILLIAMS & 2001/59 EC Standards	MSDS Revision: 7.0	MSDS Revision Date: 04/01/2008
Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	M3D3 Revision, 7.0	1000 101001 00101 017019 2000
	12. ECOLOGICAL	INFORMATION	and the second s
12.1	Environmental Stability:		
	This product will slowly volatilize from soil. Components of this prod	uct will slowly decompose into	organic compounds.
12.2	Effects on Plants & Animals:		
	There is no specific data available for this product.		
12.3	Effects on Aquatic Life:		
	There is no specific data available for this product.	A STATE OF THE STA	
	13. DISPOSAL CO	NSIDERATIONS	
13.1	Waste Disposal:		
	Dispose of in accordance with federal, state or local regulations.		
13.2	Special Considerations:		
	NA		
	A A PRANCE OF A TIO	NUMBER	
	14. TRANSPORTATIO	NINFORMATION	- for each made of transportation
The	pasic description (10 Number, proper shipping name, hazard class &	division, packing group) is show	in for each made of fransportation.
_	itional descriptive information may be required by 49 CFR, IATA/ICAC	D, IMDG, SCI, ADGR GAG THE CI	JOGN,
14.1	49 CFR (GND):		
14.2	NOT REGULATED IATA (AIR):		
14.2	NOT REGULATED		
14,3	IMDG (OCN):	,	-
14.5	NOT REGULATED		
14.4	TDGR (Canadian GND):		
	NOT REGULATED		
14.5	ADR/RID (EU):		
	NOT REGULATED		
14.6	SCT (MEXICO):		
	NOT REGULATED		
14.7	ADGR (AUS):		
	NOT REGULATED		
	A. D. D. D. L.	NIZODU AZIONI	A STATE OF THE STA
	15. REGULATORY	INFORMATION	
15.1	U.S. EPA SARA Title III Reporting Requirements:		
	NA		
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):		
	NA .		300000000000000000000000000000000000000
15.3	U.S. ISCA Inventory Status: All chemical substances of this product are listed on the ISCA inven	story or are otherwise exempted	d from inventory status.
15.4	U.S. CERCLA Reportable Quantity (RQ):	indiff of discontinuous entering	
10.4	NA		
15.5	Other U.S. Federal Requirements:	I A L L L L L L A CER .	orbania C (Coomalias)
	This product complies with the appropriate sections of the Food and	Drug Administration 3 21 Crk s	openapter G, (Cosmenes).
15.6	Other Canadian Regulations:	the CER and the MEDS contains	adl of
	This product has been classified according to the hazard criteria of the information required by the CPR. The components of this produ	uct are listed on the DSL/NDSL.	None
	of the components of this product are listed on the Priorities Substan	ices List.	
15.7	U.S. State Regulatory Information:		
	No component of this mixture is listed in the California Proposition 6	5 Lists.	
15.8	European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:		
	The primary components of this product are not listed in Annex I of		
	The primary components of this product are not listed as Hazard	ous Components with the Aust	Iralian
	Government, Australian Safely and Compensation Council, (HSIS).		



Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com

MATERIAL SAFETY DATA SHEET

Page 6 of 7

CND-N-013

MSDS Revision Date: 04/01/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 16. OTHER INFORMATION Other Information: WARNING: Use only as directed. If redness or other signs of adverse reaction occur, discontinue use immediately. Terms & Definitions: Please see last page of this MSDS. This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone Hands. Feet. Beauty. (760) 599-2900 (760) 599-4005 fax http://www.cnd.com/ Prepared by: 16.5 ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600



Page 7 of 7 CND-N-013

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

	emical Abstract Service Number	CAS No.
Patrick	 GITHCOLT TO SHOOT OF THE THE THE	WAS 110.

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Umit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard '



PERSONAL PROTECTION RATINGS:







Safety Glasses Splash Goagles











Airline

Full Face

Face Shield &

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large valume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:

Autolgnition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL.	Lewer Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3_	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W-	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s								
LC ₃₀	Lethal concentration (gases) which kills 50% of the exposed animal								
ppm	Concentration expressed in parts of material per million parts								
TD ₁₀ Lowest dose to cause a symptom									
TCLo	Lowest concentration to cause a symptom								
TDio, LDia, & LDa or TC, TCo, LCia, & LCo	Lowest dose (or concentration) to cause lethal or toxic effects								
IARC	International Agency for Research on Cancer								
NTP	National Toxicology Program								
RTECS	RTECS Registry of Toxic Effects of Chemical Substances								
BCF	Bioconcentration Factor								
TLm	Median threshold limit								
log Kow or log Koc	Coefficient of Oil/Water Distribution								

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
fC	Transport Canada			
EPA	EPA U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	SL Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU European Union (European Union Directive 67/548/EEC)				
CPR	Canada's Controlled Product Regulations			

EC INFORMATION:

=======================================					- 3	7 4 3	
С	E	F	N	0	T+	Xi	Xn
Carrasive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Imitant	Harmtu

WHMIS INFORMATION:

\oslash		(1)	®	1	1		R
Α	8	ç	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	foxic	initation .	Infectious	Corrosive	Reactive