

Page 1 of 7 **CND-N-022**

Prep	pared to OSHA,	ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 7.0	MSDS Revision Date: 04/01/2008	
		1. PRODUCT IDE	NITIEIC ATION		
	Description of the second	1. PRODUCTIDE	MILICATION		
1.1	Product Name:	SCRUBFRESH TM			
		E3H'''		- L-2 - L-4 - T-4	
1.2	Chemical Name:	ITION			
1.3	SOLVENT SOLI Synonyms:	DION	. 4.4	· · · · · · · · · · · · · · · · · · ·	
1.0	l ' '	, SCRUB FRESH			
1.4	Trade Names:				
	ScrubFres	sh™ - Nail Surface Sanitizer			
1.5	Product Use:				
	PROFESSIONA	1.00.000	4.00 - 20 - 10 - 10 - 10 - 10 - 10 - 10 -	***	
1.6	Distributor's Name	: L DESIGN, INC.			
1.7	Distributor's Addre				
	1125 JOSHUA	WAY, VISTA, CA USA 92081			
1.8	Emergency Phone	2:			
	CHEMTREC	: +1 (800) 424-9300 / +1 (703) 527-3887	A. J.		
1.9	Susiness Phone:		•		
	(800) 833-NAI	L (6245), (760) 599-2900		····	
			151510 151011		
		2. HAZARD IDEI	VIIFICATION		
2.1		on: is classified as a HAZARDOUS SUBSTANCE and as 2004) and ADG Code (Australia). Flammable liquid.		according to the classification criter	ria of
2.2	Routes of Entry:	Inhalation: YES	Absorption:	YES Ingestion: YES	
2.3	Effects of Exposure		7703012310113	11190011011	***************************************
	INGESTION:	If product is swallowed, may cause nausea, vomiting	and/or diamhea and cen	ntral nervous system depression.	
	EYES:	Vapor is discomforting to the eye. Splashes may co Symptoms of overexposure may include redness, itcl			ıage.
	SKIN:	May be irritating to skin, especially after prolonged o	-	a-	
	INHALATION:	Vapors of this product may be moderately irritatin Symptoms of overexposure can include coughing, to concentrated vapors can cause central nervous sy Odor may give some warning of exposure, but odor to	g to the nose, throat an wheezing, nasal congesti stem depression (e.g., di	ion, and difficulty breathing. Inhalati	on of
2.4	Symptoms of Over			A STATE OF THE STA	
	EYES:	Overexposure in eyes may cause severe eye irritatio	n, possible corneal burns,	and eye damage.	
	SKIN:	Symptoms of skin overexposure may include rednes allergic skin reactions (e.g., rashes, welts, dermatitis)	s, itching, and irritation of upon prolonged or repea	faffected areas. The product can cated exposure.	ause
2.5	Acute Health Effec				
	EYES:	Severe irritation to eyes near affected areas.			
	SKIN:	Mild to moderate irritation to skin near affected areas			
	INHALATION:	High concentrations of vapors can cause drowsiness,	dizziness, headaches and	d nausea.	
2.6	Chronic Health Effe	ects:	•	*	
2.7	None known. Target Organs:		****		
4		spiratory system.			
NA =	Not Available;	ND = Not Determined; NE = Not Established; NF = Not	Found; C = Ceiling Limit;	See Section 16 for Additional Definitio	ns of
Term	s Used. Note: A	All WHMIS required information is included. It is located	d in appropriate sections t	based on the ANSI Z400.1-2004 format	•
		-	e e e e e e e e e e e e e e e e e e e		



Page 2 of 7

CND-N-022

													<u> </u>		
Prec	ared to OSHA,	ACC, ANSI,	NOHSC, WHM	NS & 2001/58 E	C Standards	MSDS F	?evisio	า: 7.0		MSD	S Revis	ion Do	ite: 04/	01/200	18
			3 CC	MPOSITIC	N & INGR	EDIEN	TIN	ORA	ΛΑΤΙ	ON					
			T	1		1	<u> </u>				LIMITS	IN AIR	(mg/n	1 ³)	
							AC	GIH		NOHSC			OSHA		
							pr	m		ppm		ļ	ppm		OTHER
						-			ES-	ES-	ES-				
	CHEMICAL NA		CAS No.	RTECS No.	EINECS No.	% < 50.0	1LV 400	STEL 500	TWA 400	STEL 500	PEAK NF	400	STEL 500	IDLH NE	250 REL
	ROPAI ALCOHO	L	67-63-0	NT8050000	200-661-7	< 50.0 < 50.0	500	750	500	1000	NF	1000	NE	NE	230 KLL
ACET	· · · · · · · · · · · · · · · · · · ·		67-64-1	AL3150000	204-658-1	+			150	200	NF	150	200	NE	150 REL
	. ACETATE		123-86-4	AF7350000		< 1.0	150 NE	200 NE	NF	NF	NF	NE	NE	NE	130 KEL
	YLPARABEN		94-13-3	NA DUGASSOS	202-307-7	< 0.4	NE	NE	NF	NF	NF	NE	NE	NE	
METH	YLPAPABEN		99-76-3	DH2450000	202-785-7	< 0.3				NF	NF	NE	NE	NE	
BUTY	PARABEN		94-26-8	DH1980000	202-318-7	< 0.3	NE	NE	NF				NE	NE	
ISOPE	<u>COPYLPARABEN</u>		4191-73-5	NA	NA		NE	NE	NF	NF	NF	NE		_	
ISOBL	JTYLPARABEN		4247-02-3	NA	224-208-8	< 0.2	NE	NE	NF	NF	NF	NE	NE	NE	
TRICL	OSAN		3380-34-5	KO1100000		< 0.1	NE	NE	NF	NF	NF	NE	NE	NE	
CI 42	090 (BLUE 1)		3844-45-9	BQ4725000	222-339-8	< 0.1	NE	NE	NF	NF	NF	NE	NE	NE	
						<u>.l</u>			L		<u> </u>	<u></u>			
				4. F	IRST AID !	MEASL	IRES								
4.1	First Aid:					-,,-									
	INGESTION:	DO NOT IN	IDUCE VOMIT	ING. Contact	Chemirec a	t +1 (70:	3) 527-	3887	or the	neare	st Pois	on Co	ntroi C	enter	or local
		emergency	y telephone r	number for ass tim's head low	istance and it	nstruction	is. Sec	ek imn	nediai	e mea	icai a	rrennor	1. IF V	omining	occurs
	EYES:	If product o	usly, keep vic	es, immediatel	v flush with co	pious an	ounts	of luke	warm	water	for at	east 1	5 minu	tes. O	en and
	LILO.	close eveli	d(s) to ensure	thorough irrige	ation. Seek im	mediate	medic	al atte	ention.						
	SKIN:	If irritation	occurs & proc	fuct is on the s	kin, rinse thore	oughly w	ith luke	warm	water	, follov	ved by	a tho	rough	washin	g of the
		affected a	rea with ple	nty of soap a	nd water. R	emove	all cor	stamin	ated (clothin	g, inc	luding	tootw	ear ar	d wash
1	INHALATION:	thoroughly	before reuse.	If irritation, re-	dness of swelli	ng persis a conditi	ars, see	k mea breatl	icai ai ina st	ons n	ı. erform	artific	ial res	piratio	ı. Seek
	INHALAHON.		medical atte		onder exilent	Condin	O11.5, 11	D. Gan		-p-, p	••				
4.2	Medical Condition														
	Pre-existing d	ermatitis, oth	ner skin condi	tions, and diso	rders of the tar	get orga	ns (ey	es, skir	ı, resp	iratory	systen	1).			
				5. FIR	EFIGHTING	3 MEA	SUR	ES							
5.1	Flashpoint & Meth	od:									****				Ÿ
	25 °F (-4 °C)														
5.2	Autoignition Temp	erature:													
	ND		·····												
5.3	Flammability Limits	:		Lower Explo	sive Limit (LEL)	· 	2%		Upper	Explos	ive Lin	it (UEL)):	12	.8%
5.4	Fire & Explosion Ho									. 12 .					
	This product	is an extrem	iely flammab	le liquid. Whe	n involved in	a tire, tl	nis pro	auct n	nay ig	nite at	10				
	decompose t Extinguishing Meth		gases (e.g., C	O, CO2, NOx).				<u> </u>			\dashv				
5.5	Water, Foam,		Chemical, as c	authorized.								4			
5.6	Firefighting Proces	dures:											2	< 1	>
	First responde	ers should we	ear eye prote	ction. Structure	al fire fighters	must we	ar full p	rotect	ive eq	Juipme	nt	•		Y	
	and MSHA/NI	OSH-approv	ed self-conta	ined breathing	apparatus. I	f possible	e, prev	ent rur	noff wo	ater fro	m		/		
	entering storr	n drains, bo	dies of water	r, or other env	ironmentally	sensitive 	areas	. If ne	ecesso	try, rin:	se		Ì	•	
•		and the second second	with soapy w	ater before ret	urning to servi	ce.									
	HAZCHEM CO	DE: 2[Y]E													



Page 3 of 7

CND-N-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. Keep away from children at all times! Special Precautions: None. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard 794.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eve Protection: Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), wear rubber or impervious plastic gloves. **Body Protection:** HEALTH No apron required when handling small quantities. 3 FLAMMABILITY When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving REACTIVITY 1 large augntities of this product, wash any exposed areas thoroughly with soap and water. PROTECTIVE EQUIPMENT **EYES**



Page 4 of 7 CND-N-022

Prep	ared to OSHA, ACC, ANSI, NOHS	C, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008			
		· · · · · · · · · · · · · · · · · · ·			
		9. PHYSICAL & CHEMICAL PROPERTIES			
9.1	Density:	.99 Calculated			
9.2	Bailing Point:	ND			
9.3	Melting Point:	ND			
9.4	Evaporation Rate:	<1 (n-BuAc=1)			
9.5	Vapor Pressure:	ND			
9.6	Molecular Weight:	NE .			
9.7	Appearance & Color:	Clear liquid with a ketone odor.			
9.8	Odor Threshold:				
		NE .			
9.9	Solubility:	Soluble.			
9.10	РН	NA			
9.11	Viscosity:	NE .			
9.12	Other Information:	Vapor Density = 2.05 (Air = 1)			
		10. STABILITY & REACTIVITY			
10.1	Stability:				
	Stable under normal conditions	of use (see section 7).			
10.2	Hazardous Decomposition Products:				
		s (e.g., carbon monoxide and carbon dioxide) when involved in fire.			
10.3	Hazardous Polymerization:				
	Will not occur.	- Control - Cont			
10.4	Conditions to Avoid: Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.				
10.5					
10.5	Strong oxidizers, peroxides or st	rong golds			
	Shorty Oxidizers, peroxides of si	Tong dotas.			
		11. TOXICOLOGICAL INFORMATION			
Ш	Toxicity Data:				
' ' - '	This product has NOT been test	ed on animals to obtain toxicology data. There are toxicology data for the components of the product,			
	which are found in scientific life	rature. These data have not been presented in this document.			
11.2	Acute Toxicity:				
	See section 2.5	A STATE OF THE STA			
11.3	Chronic Toxicity:				
	See section 2.6				
11.4	Suspected Carcinogen:	and the state of t			
		Alcohol, which is not carcinogenic to humans but is listed as a Group 3 carcinogen by the IARC.			
11.5	Reproductive Toxicity: NE				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.			
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.			
Ì	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
Ì	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.			
11.6	Irritancy of Product:				
	See section 2.3				
11.7	Biological Exposure Indices:				
	NE				
11.8	Physician Recommendations:				
	Treat symptomatically.				



Page 5 of 7 CND-N-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 12. ECOLOGICAL INFORMATION This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. Releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose in accordance with local, state and Federal hazardous waste laws. Special Considerations: 13.2 U.S. EPA Characteristic Waste: D001 (ignitable) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D UN1993, FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, II (> 1.0 L) CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L) UN1993, FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, 11 (> 0.5 L) IMDG (QCN): 14.3 UN1993, FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, II, LTD QTY (\leq 1.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, 11 (> 1.0 L) ORM-D TDGR (Canadian GND): MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, II (> 1.0 L) 14.5 UN1993 FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, II, ADR, LTD QTY (≤ 1.0 L) SCT (MEXICO): 14.6 UN1993, LIQUIDOS INFLAMABLES, N.E.P. (isopropanol, acetone),3, II, CANTIDAD LIMITADA (\$1.0 L) 14.7 ADGR (AUS): UN1993 FLAMMABLE LIQUID, N.O.S. (isopropanol, acetone), 3, II, ADR, LTD QTY (≤ 1.0 L)



Phone: +1 (310) 370-3600

e-mail: shipmate@shipmate.com

Fax: +1 (310) 370-5700

MATERIAL SAFETY DATA SHEET

Page 6 of 7 CND-N-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 15. REGULATORY INFORMATION 15.1 U.S. FPA SARA Title III Reporting Requirements: SARA 313 (Isopropanol) 15.2 U.S. EPA SARA Title III Threshold Planning Quantity [TPQ]: NA 15.3 U.S. TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. 15.4 U.S. CERCLA Reportable Quantity (RQ): Acetone: 5000 lbs.; Butyl Acetate: 5000 lbs. Other U.S. Federal Requirements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid. 15.7 U.S. State Regulatory Information: Acetone, Isopropanol and n-Butyl Acetate are covered under specific state criteria. No component of this mixture is listed in the California Proposition 65 Lists. European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Acetone: Flammable (F). R: 11-36-66-67 – Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness. S: 9-16-23-33 - Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Do not breathe gas, fumes, vapor or spray. Take precautionary measures against static discharges. Isopropanol: Flammable (F). R: 11-36/37 — Highly flammable. Irritating to eyes and respiratory system. S: 2-7-16-24/25/26 - Keep out of the reach of children. Keep container tightly closed. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. HAZCHEM CODE: 2[Y]E. Poisons Schedule Number: \$5 16. OTHER INFORMATION Other Information: WARNING: Precisely follow directions and MSDS (available through your supplier) for use. EXTREMELY FLAMMABLE! Keep away from heat or flame. Poisonous if swallowed! KEEP OUT OF REACH OF CHILDREN. If redness or other signs of adverse reaction occur, discontinue use immediately. Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone Hands. Feet. Beauty. (760) 599-2900 (760) 599-4005 fax http://www.cnd.com/ Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA

Training & Consulting



Page 7 of 7

CND-N-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A	8			
8	5	•		
С	B		-	
D		*	*	
E	6			
F	8	\	~	













Respirator





Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large valume spills or releases of product.

Respirator

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
NĐ	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
11_	Slight Hazard
2	Moderate Hazard
3_	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
	Use No Water
OX.	Oxidîzer
- ''	



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & llauids) which kills 50% of the exposed animals s		
LC₅o	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm Concentration expressed in parts of material per million			
10 _{to} Lowest dose to cause a symptom			
TCLo	TCLo Lowest concentration to cause a symptom		
TDia, LDia, & LDa or	Lowest dose (or concentration) to cause lethal or toxic		
TC, TC., LCI, & LC.	effects		
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TL _m	Median threshold limit		
lag Kow or lag Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
D\$L	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

Ē	¥4	87	1	3	.		
С	E	F	N	0	T+	Χi	Χп
Corrosive	Explosive	flammable	Harmful	Oxidizing	foxic	lmitant	Harmful

WHMIS INFORMATION:

\oslash		(8)	(8)	(T)	®		R
Α	B	c	D1	D2	- 03	E	F.
Compresse	Hammable :	Oxidizing	Toxic	!mitation	Infectious	Corrosive	Reactive