

MATERIAL SAFETY DATA SHEET

MANUFACTURER: ZOTOS INTERNATIONAL, INC.
 ADDRESS: 100 TOKENEKE ROAD
 DARIEN, CT 06820
 PHONE: (203) 656-7859
 MONDAY THRU FRIDAY (8:30 a.m. - 5:00 p.m. EST)
EMERGENCY NO.: (800) 584-8038 24 HOURS

Prepared: 08/18/03

Current MSDS Update:

SECTION I. MATERIAL IDENTIFICATION
-----A. MATERIAL TYPE: WARM AND GENTLE TINTED PERM NEUTRALIZER PART II
-----SECTION II. INGREDIENTS

| | |
|--------------------------|--------------------------|
| Water (Aqua) | Tallowtrimonium Chloride |
| Hydrogen Peroxide | C11-15 Pareth-9 |
| Dicetyldimonium Chloride | Methylparaben |
| Cetearyl Alcohol | Disodium Phosphate |
| Ceteth-20 | Phosphoric Acid |
| Dimethicone | |

SECTION III. PHYSICAL DATA (APPEARANCE)

A. PRESSURIZED CONTAINER: Yes No

B. TYPE CONTAINER(S): PLASTIC BOTTLE GLASS BOTTLE
 BOX METAL CAN OTHER:

C. DESCRIPTION: CLEAR LIQUID LIQUID EMULSION FRAGRANCED
 CLOUDY LIQUID CREAM OTHER:

ODOR:

WARM AND GENTLE TINTED PERM NEUTRALIZER PART II

SECTION IV. FIRE AND EXPLOSION DATA

- A. FLAMMABLE COMBUSTIBLE NEITHER
- B. FLASH POINT: _____ NOT APPLICABLE
- C. CONTENTS UNDER PRESSURE: YES NO
- D. EXTINGUISHING MEDIA: WATER ABC ALL PURPOSE EXTINGUISHER
CO₂ OTHER:
- E. SPECIAL FIRE FIGHTING PROCEDURES:
- F. EXPLOSIVE: YES NO

SECTION V. REACTIVITY DATA

- A. STABLE: YES NO
- B. HAZARDOUS DECOMPOSITION PRODUCTS: Contaminated product generates oxygen gas. Pressure in container may build up to dangerous levels.
- C. INCOMPATIBLE WITH: ACIDS, ALKALIS, HALIDES, METALS, COMBUSTIBLE MATERIALS, REDUCING AGENTS.
- D. SPECIAL CONDITIONS TO AVOID: METAL BOWLS AND STIRRERS, HIGH TEMPERATURES
- E. CORROSIVE: YES NO

SECTION VI. HEALTH HAZARDS INFORMATION

- A. ACCIDENTAL INGESTIONS: Slightly toxic (Rating = 2)
Source: Clinical Toxicology of Commercial Products - Gosselin et. al. & Historical Data
- Call physician or Poison Control Center immediately.
- B. EFFECTS OF EXPOSURE: Rarely presents a problem when used according to directions.
See instructions accompanying product
- C. FIRST AID: If reaction to product does not subside quickly (in a few minutes) consult physician or emergency room immediately.

WARM AND GENTLE TINTED PERM NEUTRALIZER PART II

EYE CONTACT: Accidental introduction into eye can result into mild irritation. Flush with copious amounts of water immediately. If reaction persists, consult physician or eye doctor or emergency room immediately.

SKIN CONTACT: Flush with water. In the unlikely event a skin reaction such as rashes or swelling should occur, consult a dermatologist or other physician.

RESPIRATORY: Reaction not expected. If unusual symptoms develop, discontinue exposure and consult physician or emergency room immediately.

OSHA (PEL): 1 ppm for Hydrogen Peroxide

ACGIH (TLV): 1 ppm for Hydrogen Peroxide

SECTION VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

SPILLS, LEAKS: Small spills-Wipe up excess product. Wash floors with water.
Large spills-Should be collected in suitable container. Wash floors with water.
Be aware that some materials can produce slippery surfaces.
CAUTION: Evaporation or drying of this product on towels and/or mops may cause a fire.

DISPOSAL: Disposal should be in accordance with all applicable local, state and federal regulations.

SECTION VIII. SPECIAL PROTECTION INFORMATION

- 1. NONE:
- 2. GLOVES:
- 3. SEE INSTRUCTIONS ACCOMPANYING PRODUCTS:

SECTION IX. PRECAUTIONS AND COMMENTS

- A. STORAGE & HANDLING INFORMATION: Store in dry area at normal temperatures. Avoid storing at high temperature or near heat source. Avoid freezing temperatures.
- B. Special Storage required: Yes No
- C. DOT Class: Exempt Red Label Consumer Commodity ORM-D
Oxidizer
- D. See instructions accompanying product.